

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

**AMENDMENTS TO THE CLAIMS:**

1. (Currently Amended) An application method for supporting a medical treatment system, the system comprising an input/display device including input means and display means, ~~and a storage, a communication device, and a controller,~~ the method comprising:  
  
the input/display device receiving input by handwriting;  
  
storing data in the storage substantially all as medical data;  
  
~~the input means dragging a sheet label displayed at positions on a screen by the display means and moving the sheet label upward; and~~  
  
~~the input/display device reading data stored in the storage in relation to the sheet label from the storage and displaying the data below the sheet label by classifying the data.~~  
  
the input means moving in a sliding manner on each sheet label displayed at particular positions on a screen by the display means; and  
  
the input/display device reading, when the input means moves onto said each sheet label, data stored in said storage in relation to said each sheet label from said storage, and displaying the data by conducting a change-over operation for said each sheet label.
2. (Previously Presented) The application method for supporting a medical treatment system in accordance with claim 1, wherein when segments of an input field are displayed, segment labels are assigned to the segments according to identifiers previously specified to the respective segments.

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

3. (Currently Amended) The application method for supporting a medical treatment system claimed in claim 1, wherein in the storage the data are substantially all stored after ~~one~~ of a depression of Lock button ~~[[and]]~~ or an operation to explicitly close a medical report.

4. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 1, wherein said input/display device conducts character recognition processing for handwritten data inputted from said input means, ~~the handwritten data being~~ and comprising an array of values of ~~coordinates; coordinates~~, converts by said character recognition processing the data into text data including an array of character codes, and displays the text data.

5. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 2, wherein said input/display device conducts character recognition processing for handwritten data inputted from said input means, ~~the handwritten data being~~ and comprising an array of values of coordinates, converts by said character recognition processing the data into text data including an array of character codes, and displays the text data.

6. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 3, wherein said input/display device conducts character recognition processing for handwritten data inputted from said input means, ~~the handwritten data being~~ and comprising an array of values of ~~coordinates; coordinates~~, converts by said

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

character recognition processing the data into text data including an array of character codes, and displays the text data.

7. (Previously Presented) The application method for supporting a medical treatment system in accordance with claim 3, wherein when segments of an input field are displayed, segment labels are assigned to the segments according to identifiers previously specified to the respective segments.

8. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 7, wherein said input/display device conducts character recognition processing for handwritten data inputted from said input means, ~~the handwritten data being~~ and comprising an array of values of ~~coordinates;~~ coordinates, converts by said character recognition processing the data into text data including an array of character codes, and displays the text data.

9. (Currently Amended) An application method for supporting a medical treatment system, the system comprising an input/display device including input means and display means, and a storage, ~~a communication device, and a controller~~, wherein the method comprises one of:

a first operation comprising the input means moving in a sliding manner on a sheet label displayed at a particular position on a screen by the display means, the input/display device reading, when the input means moves onto said sheet label, data stored in the storage

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

in relation to said sheet label from the storage, and displaying the data by conducting a change-over operation for said sheet label;

a second operation comprising the input means dragging a particular input field selected from a plurality of input fields displayed at particular positions on a screen by the display means and dropping the particular input field onto said sheet label, and the storage storing data of said particular input field with a relationship established to said sheet label;

a third operation comprising the input means moving in a horizontal direction in a sliding manner to cross an input field displayed at a position on a screen by the display means, and the input/display device displaying the input field, the input field being subdivided into segments;

a fourth operation comprising the input means dragging a segment on a screen by the display means and dropping the segment onto said sheet label, and the storage storing data of the segment with a relationship established to said sheet label;

a fifth operation comprising the input means moving from a first point to a second point on an image displayed at a position on a screen by the display means, and the input/display device measuring a distance of movement between the first and the second points and displaying the distance over the image; and

a sixth operation comprising the input means moving to draw a trace beginning at a point on an image displayed at a position on a screen by the display means, and the input/display device rotating the image according to a length and a direction of the trace and displaying the rotated image.

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

~~the input means dragging a sheet label displayed at positions on a screen by the  
display means and moving the sheet label upward; and  
the input/display device reading data stored in the storage in relation to the sheet label  
from the storage and displaying the data below the sheet label by classifying the data.~~

10. (Previously Presented) The application method for supporting a medical treatment system in accordance with claim 9, wherein when segments of an input field are displayed, segment labels are assigned to the segments according to identifiers previously specified to the respective segments.

11. (Currently Amended) The application method for supporting a medical treatment system in accordance with ~~one of~~ claim 10, wherein said input/display device conducts character recognition processing for handwritten data inputted from said input means, ~~the handwritten data being and comprising~~ an array of values of ~~coordinates; coordinates~~, converts by said character recognition processing the data into text data including an array of character codes, and displays the text data.

12. (Currently Amended) The application method for supporting a medical treatment system in accordance with ~~one of~~ claim 9, wherein in the operation to read data from said storage and to display the data, when an unchangeable state is beforehand set to the data, said input/display device displays an item indicating that the data cannot be changed.

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

13. (Previously presented) The application method for supporting a medical treatment system in accordance with claim 10, wherein in the operation to read data from said storage and to display the data, when an unchangeable state is beforehand set to the data, said input/display device displays an item indicating that the data cannot be changed.

14. (Previously presented) The application method for supporting a medical treatment system in accordance with claim 11, wherein in the operation to read data from said storage and to display the data, when an unchangeable state is beforehand set to the data, said input/display device displays an item indicating that the data cannot be changed.

15. (Previously Presented) The application method for supporting a medical treatment system in accordance with claim 1, wherein in the operation to read data from said storage and to display the data, when an unchangeable state is beforehand set to the data, said input/display device displays an item indicating that the data cannot be changed.

16. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 1, wherein said input/display device ~~[[is]] comprises~~ a pen-tablet device.

17. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim ~~[[2]] 1, wherein said input/display device is a pen-tablet device.~~ further comprising:

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

the input means dragging a particular input field selected from a plurality of input fields displayed at particular positions on a screen by said display means and dropping the particular input field onto said sheet label; and

said storage storing data of said particular input field with a relationship established to said sheet label.

18. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[3]] 1, ~~wherein said input/display device is a pen-tablet device;~~ further comprising:

the input means moving in a horizontal direction in a sliding manner to cross an input field displayed at a position on a screen by the display means; and

the input/display device displaying the input field, the input field being subdivided into segments.

19. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[4]] 1, ~~wherein said input/display device is a pen-tablet device;~~ further comprising:

the input means dragging a segment on a screen by the display means and dropping the segment onto the sheet label; and

the storage storing data of the segment with a relationship established to the sheet label.

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

20. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[5]] 1, ~~wherein said input/display device is a pen-tablet device;~~ further comprising:

the input means moving from a first point to a second point on an image displayed at a position on a screen by the display means; and

the input/display device measuring a distance of movement between the first and the second points and displaying the distance over the image.

21. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[6]] 1, ~~wherein said input/display device is a pen-tablet device;~~ further comprising:

the input means is moving to draw a trace beginning at a point on an image displayed at a position on a screen by the display means; and

the input/display device rotating the image according to a length and a direction of the trace and displaying the rotated image.

22. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[7]] 1, ~~wherein said input/display device is a pen-tablet device;~~ further comprising:

the input means dragging an input field selected from a plurality of input fields displayed at positions on a screen by the display means and moving the input field in the screen; and



Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

the input/display device one of minimizing or magnifying one of the input field and other input fields on the screen according to movement of the input field dragged by the input means.

23. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[8]] 1, ~~wherein said input/display device is a pen-tablet device; further comprising:~~

the input means dragging a segment of the segments of the input field displayed at positions on a screen by the display means and moving the segment in the screen; and

the input/display device one of minimizing or magnifying at least one of the segment and other segments on the screen according to movement of the segment dragged by the input means.

24. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 9, wherein said input/display device [[is]] ~~comprises~~ a pen-tablet device.

25. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[10]] 1, ~~wherein said input/display device is a pen-tablet device; further comprising:~~

the input means dragging a sheet label displayed at positions on a screen by the display means and moving the sheet label upward; and

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

the input/display device reading data stored in the storage in relation to the sheet label from the storage and displaying the data below the sheet label by classifying the data.

26. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[11]] 28, wherein said input/display device [[is]] comprises a pen-tablet device.

27. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim [[12]] 30, wherein said input/display device [[is]] comprises a pen-tablet device.

28. (Currently Amended) A medical treatment support system ~~comprising~~ comprising:  
an input/display device including input means and display means, and  
a storage, ~~a communication device; and a controller, wherein;~~  
wherein the input/display device receiving receives input by handwriting;  
handwriting.  
the storage stores data stored substantially all as medical [[data]] data.  
~~the input means dragging a sheet label displayed at positions on a screen by the~~  
~~display means and moving the sheet label upward; and~~  
~~the input/display device reading data stored in the storage in relation to the sheet label~~  
~~from the storage and displaying the data below the sheet label by classifying the data.~~

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

the input means drags a particular input field selected from a plurality of input fields displayed at particular positions on a screen by said display means and drops the particular input field onto a sheet label, and  
said storage stores data of said particular input field with a relationship established to said sheet label.

29. (Currently Amended) The medical treatment support system claimed in claim 28, wherein data in the storage is substantially all stored after ~~one of~~ a depression of Lock button ~~[[and]]~~ or an operation to explicitly close a medical report.

30. (Currently Amended) The application method for supporting a medical treatment system in accordance with claim 9, further comprising ~~at least one of:~~

~~a first operation comprising the input means moving in a sliding manner on each of sheet labels displayed at particular positions on a screen by the display means, the input/display device reading, when the input means moves onto each said sheet label, data stored in said storage in relation to said each sheet label from said storage, and displaying the data by conducting a change-over operation for said each sheet label;~~

~~a second operation comprising the input means dragging a particular input field selected from a plurality of input fields displayed at particular positions on a screen by said display means and dropping the particular input field onto said sheet label, and said storage storing data of said particular input field with a relationship established to said sheet label;~~

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

~~a third operation comprising the input means moving in a horizontal direction in a sliding manner to cross an input field displayed at a position on a screen by the display means, and the input/display device displaying the input field, the input field being subdivided into segments;~~

~~a fourth operation comprising the input means dragging a segment on a screen by the display means and dropping the segment onto the sheet label, and the storage storing data of the segment with a relationship established to the sheet label;~~

~~a fifth operation comprising the input means moving from a first point to a second point on an image displayed at a position on a screen by the display means, and the input/display device measuring a distance of movement between the first and the second points and displaying the distance over the image;~~

~~a sixth operation comprising the input means is moving to draw a trace beginning at a point on an image displayed at a position on a screen by the display means, and the input/display device rotating the image according to a length and a direction of the trace and displaying the rotated image;~~

a seventh operation comprising the input means dragging an input field selected from a plurality of input fields displayed at positions on a screen by the display means and moving the input field in the screen, and the input/display device one of minimizing and magnifying one of the input field and other input fields on the screen according to movement of the input field dragged by the input means; [[and]]

an eighth operation comprising the input means dragging a segment of the segments of the input field displayed at positions on a screen by the display means and moving the

Serial No. 09/989,437  
Docket No. DP-820 US  
MAR.067

segment in the screen, and the input/display device one of minimizing and magnifying at least one of the segment and other segments on the screen according to movement of the segment dragged by the input ~~means~~; means; and

a ninth operation comprising the input means dragging a sheet label displayed at positions on a screen by the display means and moving the sheet label upward, and the input/display device reading data stored in the storage in relation to the sheet label from the storage and displaying the data below the sheet label by classifying the data.